





HSM Classic 225.2

HSM Classic 225.2



Mobile, very high performance model for desktside use. Shreds credit and store cards with ease as well as CDs and floppy disks (details see below). Modern electronic controller. Photoelectric cell for automatic start/stop control. On/off switch with integrated reversing function. Folding safety element, in the security levels 2 and 3 with infeed slot for CDs and floppy disks. Stand-by mode with LED indicator. Stops automatically when the container is full and door is open. Automatic stop with LED plus auto-reverse in the event of a paper jam. With reusable waste bag. Made in Germany.

Product type description	HSM 225.2 3,9mm	HSM 225.2 5,8mm
Order number	1340141	1341141
EAN Code	4026631009645	4026631009683
Shredder material		
Cutting type	strip cut	strip cut
Security level	2	2
Cutting width	3.9 mm	5.8 mm
Particle length	0 mm	0 mm
Cutting capacity (70g/m ²)	31 - 33 sheet	40 - 42 sheet
Cutting capacity (80g/m ²)	25 - 27 sheet	32 - 33 sheet
Intake width	300 mm	300 mm
Container volume	103 l	103 l
Cutting speed	126 mm/s	126 mm/s
Noise level (idle operation)	56 dB	56 dB
eclass 5.1	24320703	24320703
UN/SPSC	44101603	44101603
Power consumption of the motor	1400 W	1400 W
Voltage	230 V	230 V
Frequency	50 Hz	50 Hz
Depth	420 mm	420 mm
Width	500 mm	500 mm
Height	895 mm	895 mm
Weight	42 kg	42 kg

HSM Classic 225.2

Product type description	HSM 225.2 3,9x40mm	HSM 225.2 1,9x15mm
Order number	1343141	1342141
EAN Code	4026631009775	4026631009713
Shredder material		
Cutting type	particle cut	particle cut
Security level	3	4
Cutting width	3.9 mm	1.9 mm
Particle length	40,00 mm	15,00 mm
Cutting capacity (70g/m ²)	25 - 27 sheet	17 - 19 sheet
Cutting capacity (80g/m ²)	20 - 22 sheet	12 - 14 sheet
Intake width	300 mm	300 mm
Container volume	103 l	103 l
Cutting speed	135 mm/s	135 mm/s
Noise level (idle operation)	56 dB	56 dB
eclass 5.1	24320703	24320703
UN/SPSC	44101603	44101603
Power consumption of the motor	1400 W	1400 W
Voltage	230 V	230 V
Frequency	50 Hz	50 Hz
Depth	420 mm	420 mm
Width	500 mm	500 mm
Height	895 mm	895 mm
Weight	50 kg	48 kg

HSM Classic 225.2

Product type description	HSM 225.2 0,78x11mm	HSM 225.2 1x5mm
Order number	1344141	1458121
EAN Code	4026631009843	4026631009638
Shredder material		
Cutting type	particle cut	particle cut
Security level	5	HS Level 6
Cutting width	0.78 mm	1 mm
Particle length	11,00 mm	5,00 mm
Cutting capacity (70g/m ²)	10 - 11 sheet	7 - 8 sheet
Cutting capacity (80g/m ²)	7 - 9 sheet	6 - 7 sheet
Intake width	300 mm	300 mm
Container volume	103 l	103 l
Cutting speed	135 mm/s	135 mm/s
Noise level (idle operation)	56 dB	56 dB
eclass 5.1	24320703	24320703
UN/SPSC	44101603	44101603
Power consumption of the motor	1400 W	1400 W
Voltage	230 V	230 V
Frequency	50 Hz	50 Hz
Depth	420 mm	420 mm
Width	500 mm	500 mm
Height	895 mm	895 mm
Weight	49 kg	48 kg