







***HSM Classic 390.3***

### HSM Classic 390.3



Mobile, very high performance model for open-plan offices. Can destroy entire computer listings and shred CDs, credit and store cards (details see below). Practical storage space for paper stacks. Folding safety element, in the security levels 2 and 3 with infeed slot for CDs and floppy disks. Modern electronic controller. Photoelectric cell for automatic start/stop control. Rocker switch for on/off and reverse. Stand-by mode with LED indicator. Stops automatically when the waste container is full and when the door is open. Automatic stop with LED and convenient automatic reverse in the event of a paper jam. Removable, reusable waste bag. Made in Germany.

Product type description	HSM 390.3 3,9mm	HSM 390.3 5,8mm
Order number	1365141	1366141
EAN Code	4026631020541	4026631020558
Shredder material		
Cutting type	strip cut	strip cut
Security level	2	2
Cutting width	3.9 mm	5.8 mm
Particle length	0 mm	0 mm
Cutting capacity (70g/m <sup>2</sup> )	31 - 33 sheet	40 - 42 sheet
Cutting capacity (80g/m <sup>2</sup> )	25 - 27 sheet	33 - 35 sheet
Intake width	400 mm	400 mm
Container volume	148 l	148 l
Cutting speed	126 mm/s	126 mm/s
Noise level (idle operation)	60 dB	60 dB
eclass 5.1	24320703	24320703
UN/SPSC	44101603	44101603
Power consumption of the motor	1400 W	1400 W
Voltage	230 V	230 V
Frequency	50 Hz	50 Hz
Depth	510 mm	510 mm
Width	595 mm	595 mm
Height	915 mm	915 mm
Weight	48 kg	48 kg

**HSM Classic 390.3**

Product type description	HSM 390.3 3,9x40mm	HSM 390.3 1,9x15mm
Order number	1368141	1367141
EAN Code	4026631020572	4026631020565
Shredder material		
Cutting type	particle cut	particle cut
Security level	3	4
Cutting width	3.9 mm	1.9 mm
Particle length	40,00 mm	15,00 mm
Cutting capacity (70g/m <sup>2</sup> )	25 - 27 sheet	17 - 19 sheet
Cutting capacity (80g/m <sup>2</sup> )	20 - 22 sheet	13 - 15 sheet
Intake width	400 mm	400 mm
Container volume	148 l	148 l
Cutting speed	135 mm/s	135 mm/s
Noise level (idle operation)	60 dB	60 dB
eclass 5.1	24320703	24320703
UN/SPSC	44101603	44101603
Power consumption of the motor	1400 W	1400 W
Voltage	230 V	230 V
Frequency	50 Hz	50 Hz
Depth	510 mm	510 mm
Width	595 mm	595 mm
Height	915 mm	915 mm
Weight	56 kg	57 kg

**HSM Classic 390.3**

Product type description	HSM 390.3 0,78x11mm	HSM 390.3 1x5mm
Order number	1369141	1660141
EAN Code	4026631020589	4026631020596
Shredder material		
Cutting type	particle cut	particle cut
Security level	5	HS Level 6
Cutting width	0.78 mm	1 mm
Particle length	11,00 mm	5,00 mm
Cutting capacity (70g/m <sup>2</sup> )	10 - 11 sheet	7 - 8 sheet
Cutting capacity (80g/m <sup>2</sup> )	7 - 9 sheet	6 - 7 sheet
Intake width	400 mm	400 mm
Container volume	148 l	148 l
Cutting speed	135 mm/s	135 mm/s
Noise level (idle operation)	60 dB	60 dB
eclass 5.1	24320703	24320703
UN/SPSC	44101603	44101603
Power consumption of the motor	1400 W	1400 W
Voltage	230 V	230 V
Frequency	50 Hz	50 Hz
Depth	510 mm	510 mm
Width	595 mm	595 mm
Height	915 mm	915 mm
Weight	58 kg	57 kg